

To: [Nonresponsive based on revised scope]@erllc.com]
From: Wagner, Christine [/O=EXCHANGELABS/OU=EXCHANGE ADMINISTRATIVE GROUP (FYDIBOHF23SPDLT)/CN=RECIPIENTS/CN=12068C1889924ECF96F692831F0C77D4-CWAGNE02]
Sent: Wed 10/2/2019 7:20:30 PM (UTC)
Subject: RE: [EXT]RE: List of residents for the Shiloh Church Road Site in Nathalie, VA

[Nonresponsive based on revised scope]

By the neutralizer, do you mean the dechlorinator? We need to discuss this? Is Kinetico planning to shock the initial system with chlorine? We can talk when you return

Thanks
Chris

From: [Nonresponsive based on revised scope]@erllc.com>
Sent: Wednesday, September 25, 2019 3:31 PM
To: Wagner, Christine <Wagner.Christine@epa.gov>
Subject: FW: [EXT]RE: List of residents for the Shiloh Church Road Site in Nathalie, VA

Chris,
Please see the attachments for the product information and drawing of the softeners, neutralizer, carbon tank and a picture of the flow meter.
Let me know if you have any questions.
TY

[Nonresponsive based on revised scope]

Thanks,

[Nonresponsive based on revised scope]



----- Original Message -----
Subject: RE: [EXT]RE: List of residents for the Shiloh Church Road Site in Nathalie, VA
From: [Nonresponsive based on revised scope]@erllc.com>
Date: Tue, September 24, 2019 5:36 pm
To: [Nonresponsive based on revised scope]@kineticoswva.com>

Nonresponsive based on revised scope

Thanks Can you please forward your cut sheets/equipment brochure on the equipment highlighted below for our review and files. Also please provide a time period when you would like to start the work allowing time to pick up equipment and parts needed for installation.

RW04 can only be serviced on Monday and Tuesday. RW11 is out of town 10/11 to 10/20.

Thanks and I'll wait to hear from you.

Point Of Entry Cartridge Filter

1248F Neutralizer

1040s Softener

1175 Dechlorinator 2.0 Cu. Ft. Carbon

Sample Ports

Pressure Gauges

Water Meter

Nonresponsive based on revised scope

From: Nonresponsive based on revised scope @kineticoswva.com>

Sent: Tuesday, September 24, 2019 4:08 PM

To: Nonresponsive based on revised scope @erllc.com>

Subject: RE: [EXT]RE: List of residents for the Shiloh Church Road Site in Nathalie, VA

Nonresponsive based on revised scope

RE: [EXT]RE: List of residents for the Shiloh Church Road Site in Nathalie, VA

I am sending you a copy of each RW test and also a copy of a recommendation for each house. I need to know if I missed anything and do we need to go ahead and start scheduling installations. Let me know your thoughts.

Thanks,

Nonresponsive based on revised scope



----- Original Message -----

Subject: RE: [EXT]RE: List of residents for the Shiloh Church Road Site in Nathalie, VA

From: Charlie Keegan <c.keegan@erllc.com>

Date: Tue, September 24, 2019 2:18 pm

To: Robert <robert@kineticoswva.com>

Sounds good Robert.
Thanks

Charlie
609-304-2296

From: Robert <robert@kineticoswva.com>

Sent: Tuesday, September 24, 2019 1:28 PM

To: Charlie Keegan <c.keegan@erllc.com>

Subject: [EXT]RE: List of residents for the Shiloh Church Road Site in Nathalie, VA


CAUTION This email originates from a source outside the company. Please use caution when opening attachments, clicking on links, or following the senders request.

Good Afternoon,

Confirming your email was received. I am midway into entering all the test data and selecting equipment for the RW #s. Should receive an email with the test copies and the equipment lists either by today or tomorrow.

Thanks,

Robert Mitchell



**1171 Cheatham Park Dr.
Bedford, VA 24523
540-586-9336**



----- Original Message -----

Subject: List of residents for the Shiloh Church Road Site in Nathalie,
VA

From: Charlie Keegan <c.keegan@erllc.com>

Date: Tue, September 24, 2019 10:57 am

To: Robert <robert@kineticoswva.com>, "steve@kineticoswva.com"
<steve@kineticoswva.com>

Good morning.

Please see the attached list for the residents down here.

Any questions please ask. The RW-011 resident will be out of town 10/11
through 10/20.

We'll wait to hear from you.

Thanks



Confidentiality Warning: This e-mail and any attachments contain information intended only for the use of the individual or entity named above. If the reader of this e-mail is not the intended recipient or the employee or agent responsible for delivering it to the intended recipient, any dissemination, publication or copying of this e-mail is strictly prohibited. Although this email has been scanned for malware, the sender does not accept any responsibility for any loss, disruption or damage to your data or computer system that may occur while using data contained in, or transmitted with, this e-mail. If you have received this e-mail in error, please immediately notify by return e-mail. Thank you.